

INDEX MAPS.

T. 22N, R. 2W. 2<sup>nd</sup> Mer.

	64		63		63		63		63		62	
66	6	86	5	82	4	78	3	74	2	70	1	62
	88		86		82		77		73		69	
65	7	85	8	81	9	77	10	73	11	69	12	62
	88		85		81		77		73		68	
65	18	85	17	80	16	76	15	72	14	68	13	61
	87		84		80		76		72		68	
65	19	84	20	80	21	76	22	71	23	67	24	61
	87		83		79		75		71		67	
64	30	83	29	79	28	75	27	71	26	67	25	61
	87		83		78		74		70		66	
64	31	82	32	<del>78</del> 78	33	74	34	70	35	66	36	60
	60		60		59		59		59		59	

T. 23N, R. 2W. 2<sup>nd</sup> Mer.

	96		95		95		95		95		94	
97	6	119	5	115	4	110	3	106	2	101	1	94
	119		118		114		110		106		101	
97	7	118	8	114	9	110	10	105	11	101	12	94
	120		118		113		109		105		100	
97	18	117	17	113	16	109	15	104	14	100	13	93
	120		117		113		108		104		100	
97	19	117	20	112	21	108	22	104	23	99	24	93
	121		116		112		108		103		99	
96	30	116	29	111	28	107	27	103	26	99	25	93
	121		115		111		107		102		98	
96	31	115	32	111	33	106	34	102	35	98	36	92
	92		92		91		91		91		91	

The figures on the lines refer to the page.

59

Township N. 22 North, Range N. 2 West 2. Mer. Ind.<sup>a</sup>

Chas. Sh. Township Lines.

South Boundary. Var. 6° 00' E.

West in the S. Boundary of Sec. 36

November 10, 1819

40.00 set of sec. port from which

an Elm 27 in. diameter N 75 E 29 lbs. dist. 3

a W. Oak 12 " " " N 60 W 40 " "

80.00 set port cor. of sec. 35 & 36 from which

a Hickory 12 in. diameter S 43 E 6 lbs. dist. 3

a W. Oak 30 " " " N 38 W 57 " "

Land T. rate, timber Oak, Sugar, Hickory, Walnut

---

West on the S. Boundary of Sec. 35

40.00 set of sec. port from which

a W. Oak 13 in. diameter S 44 W 56 lbs. dist. 3

a Do 24 " " " N 57 W 22 " "

80.00 set port cor. of sec. 34 & 35 from which

a W. Oak 27 in. diameter S 85 W 11 lbs. dist. 3

a W. Ash 9 " " " S 29 E 10 " "

Land similar to the last mile

---

West on the S. Boundary of Sec. 34

10.00 a Creek 40 lbs. wide course N W. good mill stream

35.00 a Brook 20 lbs. wide course N

40.00 set of sec. port from which

a Sugar Gin. diameter N 62 E 22 lbs. dist. 3

a Beech 24 " " " N 47 W 17 " "

80.00 set port cor. of sec. 33 & 34 from which

a S. Oak 30 in. diameter S 58 E 18 lbs. dist. 3

a B. Oak 27 " " " S 64 W 33 " "

Land & same as on the last mile

---

West on the S. Boundary of Sec. 33

15.00 enter Prairie

38.00 passed "

40.00 set of sec. port from which

T. 22 N., R. 2 W. 2. Sec. 32  
Ch. 1/2

a W. Oak 30 in. dis. bears S 81 E 10 lbs. dist. 1/2  
a Do 24 " " " West 25 " "  
80.00 set part cor. of sec. 32 & 33 from which  
a Buckeye 12 in. dis. bears N 35 W 9 lbs. dist. 1/2  
a Do 10 " " " S 54 E 39 " "  
Good 2<sup>d</sup> rate land, timber Oak, Hickory, Elm &c.

---

West on the S. Boundary of Sec. 32

40.00 set of sec. part from which  
a W. Oak 14 in. dis. bears S 74 E 42 lbs. dist. 1/2  
a Do 12 " " " N 24 W 36 " "  
80.00 set part cor. of sec. 31 & 32 from which  
a Beech 24 in. dis. bears S 66 E 29 lbs. dist. 1/2  
a Do 14 " " " N 62 W 39 " "  
West 1/2 mile nearly 1<sup>st</sup> rate land

---

West on the S. Boundary of Sec. 31

40.00 set of sec. part from which  
a Beech 18 in. dis. bears N 73 E 21 lbs. dist. 1/2  
a Sugar 14 " " " S 58 W 22 " "  
85.10 Intersection Range line 34 lbs. S. of temp. Towns. cor.  
set part at intersection cor. of T. 21 & 22 N., R. 2 &  
3 W. from which  
a W. Oak 33 in. dis. bears N 68 E 40 lbs. dist. 1/2  
a Do 24 " " " S 33 W 60 " "  
Land rich & good for farming, timber Oak,  
Beech, Sugar, Walnut, Ash &c.

---

East Boundary. Var. 6 to 10' E.

Bearings at cor. of T. 21 & 22 N., R. 1 & 2 W  
a Beech 30 in. dis. bears S 30 W 23 lbs. dist. 1/2  
a W. Walnut 27 " " " N 59 E 37 " "

North on the E. Boundary of Sec. 36

November 18. 1819

40.00 set of sec. part from which  
a Sugar 27 in. dis. bears N 48 E 22 lbs. dist. 1/2

T. 22 N., R. 2 W. 2. Mer. Ind. a  
Chp. 2nd.

a Sugar 20 in. diameter S 30 W 46 lbs. diit.  
80.00 set part cor. of sec. 25 & 36 from which  
a Beech 14 in. diameter S 79 E 19 lbs. diit. 3  
a Do 14 " " " N 41 W 16 " "  
Land of the best quality & well timbered with Oak,  
Poplar, Beech, Sugar, Walnut &c.

---

North on the E. Boundary of Sec. 25

13.00 a Brook 6 lbs. wide course NW  
27.50 a Creek 70 lbs. wide course NW  
40.00 set g. sec. part from which  
a Buckeye 6 in. diameter S 5 E 3 lbs. diit. 3  
" " " " N 34 W 23 " "  
41.00 a Brook 5 lbs. wide course W  
80.00 set part cor. of sec. 24 & 25 from which  
a Sugar 24 in. diameter S 20 W 24 lbs. diit. 3  
a Poplar 36 " " " N 16 E 15 " "  
Land similar, very rich & good for farming

---

North on the E. Boundary of Sec. 24

40.00 set g. sec. part from which  
a Sugar 9 in. diameter S 51 W 3 lbs. diit. 3  
a Do 8 " " " N 1 E 21 " "  
67.50 a Creek 60 lbs. wide course W  
80.00 set part cor. of sec. 13 & 24 from which  
a Poplar 9 in. diameter S 65 W 4 lbs. diit. 3  
a Beech 8 " " " S 66 E 31 " "  
Land similar, nearly T. & ate, timber Beech,  
Sugar, Oak, Poplar &c.

---

North on the E. Boundary of Sec. 13

40.00 set g. sec. part from which  
an Ironwood 7 in. diameter S 15 E 28 lbs. diit. 3  
a Do 6 " " " N 68 E 20 " "  
80.00 set part cor. of sec. 12 & 13 from which  
a W. Oak 2 1/2 in. diameter S 5 E 28 lbs. diit. 3



T. 22 N., R. 2 W. 3. Mer. Ind. a  
Ch. Ltr.

a W. Oak 12 in. dia. bears N 19 E 8 Ms. dist.  
Land level & rate, timber Oak, Hickory, Ash,  
Elm, good farming land

North on the E. Boundary of Sec. 12

40.00 set q. sec. part from which

a W. Ash 8 in. dia. bears N 57 W 4 Ms. dist. 8

a Beech 30 " " " N 40 E 35 " "

65.00 enter Swamp

70.00 passed "

80.00 set part cor. of sec. 10 & 12 from which

a B. Walnut 12 in. dia. bears South 7 Ms. dist. 8

a W. Ash 12 " " " North 13 " "

Land &c. same as on the last line

North on the E. Boundary of Sec. 1

40.00 set q. sec. part from which

a Beech 12 in. dia. bears S 67 E 9 Ms. dist. 18

a Sugar 11 " " " N 11 W 18 " "

42.00 a Brook 10 Ms. wide course W

78.00 a Dr 10 " " " N W

78.86 to part cor. of T. 22 & 23 N., R. 1 & 2 W. from which

a Sycamore 12 in. dia. bears N 62 W 7 Ms. dist. 8

a Dr 30 " " " N 33 E 14 " "

80.00 set temp. Township corner.

Land 1/2 mile rich, good for farming.

North Boundary. Var. 6° 06' E.

West on the S. Boundary of Sec. 36, T. 23 N., R. 2 W

December 1, 1849

1.50 a Brook 10 Ms. wide course N W

40.00 a Lym 30 in. dia. stands for q. sec. cor.

60.00 a Brook 8 Ms. wide course N

80.00 set part cor. of sec. 35 & 36 from which

a Sugar 27 in. dia. bears S 22 E 7 Ms. dist. 8

a Dr 9 " " " N 59 W 16 " "

T. 22 N., R. 2 W. 2. Mer. Ind. a  
Ch. 2. Sh.

Land level, timber Beech, Sugar, Ash, Oak,  
Hickory, 2. rate, good farming land

West on the S. Boundary of Sec. 35, T23 N, R2 W

30.00 a Brook 600. wide course N

40.00 set of sec. part from which

a Sugar 18 in. diameter S26 E 34 1/2 m. dist. 8

a Spr 10 " " " N86 W 23 " "

80.00 set part cor. of sec. 34 & 35 from which

a Beech 20 in. diameter S8 W 32 1/2 m. dist. 8

a Beech 9 " " " N57 E 19 " "

Land similar, part of 1/2 mile very rich

West on the S. Boundary of Sec. 34, T23 N, R2 W

35.00 a Brook 300. wide course NW

40.00 set of sec. part from which

a Spr 8 in. diameter S5 W 12 1/2 m. dist. 8

a W. Oak 12 " " " N21 E 28 " "

80.00 set part cor. of sec. 33 & 34 from which

a Beech 20 in. diameter S13 E 30 1/2 m. dist. 8

a Spr 27 " " " N61 E 38 " "

Land rich & good for farming, timber Beech,  
Sugar, Ash, Elm, Spr, Poplar. good  
farming land

West on the S. Boundary of Sec. 33, T23 N, R2 W

40.00 set of sec. part from which

a Sugar 12 in. diameter S40 E 16 1/2 m. dist. 8

a Spr 9 " " " N73 W 13 " "

80.00 set part cor. of sec. 32 & 33 from which

a Mulberry 6 in. diameter S20 W 25 1/2 m. dist. 8

a Maple 12 " " " N57 E 11 " "

Land similar, a small part rather wet

West on the S. Boundary of Sec. 32, T23 N, R2 W

8.50 a Creek 200. wide course N

## T. 22 N., R. 2 W., T. Mer. Ind. a

Ehr. Ehr.

40.00 set g. sec. part from which

a Sugar 20 in. dia bears S 78 E 16 lbs. dist. 2

a Beech 24 " " " S 44 W 31 " "

80.00 set part cen. of sec. 31 &amp; 32 from which

a Sugar 10 in. dia bears S 27 W 24 lbs. dist. 2

a Do 12 " " " N 44 E 22 " "

Land similar to the last mile

West on the S. Boundary of Sec. 31, T. 23 N., R. 2 W

40.00 set g. sec. part from which

an Elm 12 in. dia bears S 27 W 10 lbs. dist. 2

a Sugar 9 " " " N 72 E 17 " "

80.85 Intersect Range line 32 lbs. N. of temp. Town. cor.

set part at intersection cen. of Towns. 22 &amp; 23 N., R. 2 &amp; 3 W. from which

a W. Walnut 20 in. dia bears N 60 W 17 lbs. dist. 2

a Mulberry 6 " " " S 70 E 18 " "

E 1/2 mile land similar, W 1/2 mile T. State land, timber Sugar, Walnut, Ash, Buckeye &amp;c.

West Boundary. Var. 6.00. E.

North on the E. Boundary of Sec. 36, T. 22 N., R. 3 W

November 17. 1889

30.00 a Bar 8 lbs. wide course N 9 W

40.00 set g. sec. part from which

a W. Ash 14 in. dia bears S 1 W 47 lbs. dist. 2

an Ironwood 7 " " " N 88 E 5 " "

80.00 set part cen. of sec. 25 &amp; 36 from which

a Hickory 12 in. dia bears S 35 W 30 lbs. dist. 2

a W. Oak 14 " " " N 88 E 8 " "

Land level &amp; nearly T. State, timber Oak, Hickory, Ash, Walnut &amp;c.

North on the E. Boundary of Sec. 25, T. 22 N., R. 3 W

40.00 set g. sec. part from which

an Ironwood 10 in. dia bears S 33 E 22 lbs. dist. 2

## T. 22 N., R. 2 W. 2. Mer. Ind. a.

Chs. 1st.

an Elm 24 in. dia. bears N 21 W 16 lbs. dist.  
 67.00 a Brook 12 lbs. wide course N 9 W  
 80.00 set part cor. of sec. 24 & 25 from which  
 an Ironwood 9 in. dia. bears N 30 W 14 lbs. dist. 8  
 a W. Ash 9 " " " N 88 E 25 " "  
 Land similar, N 1/2 mile T. Rate

## North on the E. Boundary of Sec. 24, T. 22 N., R. 3 W

10.00 a Creek 100 lbs. wide course W  
 40.00 set q. sec. part from which  
 a Sugar 10 in. dia. bears N 39 E 16 lbs. dist. 8  
 a Do 12 " " " S 20 W 23 " "  
 80.00 set part cor. of sec. 13 & 24 from which  
 a W. Oak 24 in. dia. bears S 3 W 36 lbs. dist. 8  
 a Do 27 " " " S 64 E 19 " "  
 1/2 mile land T. Rate, N 1/2 mile level & rich,  
 good for farming

## North on the E. Boundary of Sec. 13, T. 22 N., R. 3 W

40.00 set q. sec. part from which  
 an Ironwood 9 in. dia. bears S 70 E 66 lbs. dist. 8  
 a Poplar 36 " " " N 76 W 19 " "  
 80.00 set part cor. of sec. 12 & 13 from which  
 a Hickory 12 in. dia. bears S 54 W 28 lbs. dist. 8  
 a Do 12 " " " N 39 E 48 " "  
 Land level rich & good for farming, timber Oak,  
 Hickory, Elm, thick Hazel Undergrowth

## North on the E. Boundary of Sec. 12, T. 22 N., R. 3 W

40.00 set q. sec. part from which  
 a S. Oak 27 in. dia. bears N 66 E 38 lbs. dist. 8  
 a W. Oak 36 " " " N 38 W 47 " "  
 80.00 a Hickory 14 " " stands for cor. of sec. 10 & 12 from  
 which a Hickory 14 in. dia. bears S 52 E 33 lbs. dist.  
 Land &c. the same as on the last mile



## T. 22 N., R. 2 W., S. 1 Mer. Ind.?

Elev. 24.

North on the E. Boundary of Sec. 1

40.00 set of g. sec. post from which

an Elm 20 in. diameter S 23 W 22 lbs. dist. 8

a Hickory 12 " " " S 84 E 20 " "

75.00 a Creek 15 lbs. wide runs N W. runs flush

80.00 set temp. Township cor.

1/2 mile T. Rate land

Surveyed in 1819 by William Harris

Dep. Surveyor.

## Subdivision. Var. 5° 45' E.

North between Sec. 35 &amp; 36, T. 22 N., R. 2 W.

30.04 an Elm 24 in. dia.

40.00 set of g. sec. post from which

an Ash 12 in. diameter N 75 E 33 lbs. dist. 8

a W. Walnut 7 " " " S 70 W 18 " "

59.50 a Beech 30 " "

80.00 set post cor. of sec. 25, 26, 35 &amp; 36 from which

a W. Oak 24 in. diameter S 34 W 9 lbs. dist. 8

a Beech 24 " " " N 87 E 37 " "

Land level T. Rate, timber Walnut, Sugar,  
Poplar & Upr. Spice &.

East on Random between Sec. 25 &amp; 36

40.00 set temp. g. sec. post

79.18 Entered E. Boundary 10 lbs. S. of post -

Land level T. Rate, timber Walnut, Sugar,  
Ash & Upr. Spice, Ash &.

West Connected between Sec. 25 &amp; 36

18.29 a Sugar 15 in. dia.

39.59 set g. sec. post at aver. dist from which

a Hickory 6 in. diameter S 39 W 15 lbs. dist. 8

a Buckeye 12 " " " N 54 E 26 " "

62.74 a Hickory 18 " "

79.18 to sec. cor.



T. 22 N., R. 29 W. 2. Mer. Ind. <sup>a</sup>

Elev. Elev.

North between Sec. 25 &amp; 26

10.90 a Stream 90 lbs. wide course W. deep &amp; gentle

29.43 a W. Oak 24 in. dia.

40.00 let gr. sec. post from which

a Sugar 20 in. dia. leans East 36 lbs. dist. 8

an Ash 16 " " " N 35 W 5 " "

59.27 a B. Oak 40 " "

80.00 let post cr. of sec. 23, 24, 25 &amp; 26 from which

a B. Walnut 36 in. dia. leans N 40 E 20 lbs. dist. 8

a Beech 16 " " " S 22 W 13 " "

Sand level 2. rate, timber W. Oak, Walnut, Beech,  
H. Upr. Spruce, Ash &c.

East in Random between Sec. 24 &amp; 25

40.00 set temp. gr. sec. post

78.11 Intersect E. Boundary 86 lbs. S. of post -

Sand level 2. rate, timber Sugar, Poplar, Beech  
H. Upr. Spruce, Ash &c.

West Corners between Sec. 24 &amp; 25

18.11 a Poplar 38 in. dia.

38.05 set gr. sec. post at aver. dist. from which

a Sugar 22 in. dia. leans S 45 W 19 lbs. dist. 8

a Spr 16 " " " N 16 E 28 " "

59.23 a B. Walnut 18 in. dia.

78.11 to sec. cor.

North between Sec. 23 &amp; 24

25.30 a W. Oak 40 in. dia.

40.00 let gr. sec. post from which

a Hickory 12 in. dia. leans S 11 W 7 lbs. dist. 8

a Buckeye 14 " " " N 56 E 3 " "

45.53 a Stream 85 lbs. wide course W. 2 1/2 feet deep,  
rapid

62.25 an Elm 26 in. dia.

80.00 let post cr. of sec. 13, 14, 23 &amp; 24 from which

T. 22 N., R. 2 W. 2. Mer. Ind. a

Ch. 1. Ch. 1.

a Buckeye 10 in. diameter S 67 W 42 lbs. dirt 3  
 a Do 12 " " " S 58 W 44 " "  
 Land level good 2 rate, timber Sugar, W. Oak,  
 Beech, Upr. Spice, Beech &c.

East on Random between Sec. 13 & 24

1.23 a Stream 10 lbs. wide course S 81 W. rapid &  
 shallow

40.00 tot temp. of sec. port

78.50 Intersut E. Boundary 100 lbs. E. of port -

Land level 2 rate, timber W. Oak, Elm, Beech &c.  
 Upr. Spice, Beech &c.

West Connected between Sec. 13 & 24

19.30 a Beech 23 in. dia.

39.05 tot g. sec. port at aver. dirt from which

a Sugar 12 in. diameter S 88 W 13 lbs. dirt 3

a W. Oak 26 " " " N 24 E 10 " "

58.00 a Beech 20 " "

78.11 to sec. cor. June 2, 1821

North between Sec. 13 & 14

27.84 a W. Oak 28 in. dia.

40.00 tot g. sec. port from which

a S. Ash 16 in. diameter N 6 E 27 lbs. dirt 3

a Do 12 " " " S 46 E 34 " "

63.68 an Elm 28 " "

80.00 tot port cor. of sec. 11, 12, 13 & 14 from which

a S. Ash 6 in. diameter S 27 E 5 lbs. dirt 3

a Hickory 10 " " " N 45 E 33 " "

Land swampy, timber S. Ash, W. Oak, Beech &c.  
 Upr. P. Ash &c.

East on Random between Sec. 12 & 13

40.00 tot temp. of sec. port in small wet Prairie

78.85 Intersut E. Boundary 111 lbs. E. of port -

## T. 22 N., R. 2 W. 2. Mer. Ind. a

Ch. Ch.

Land swampy, timber S. Ash, Elm, Beech, Ulp.  
P. Ash, Beech &c.

West Connected between Sec. 12 &amp; 13

17.81 a W. Oak 30 in. dia.

39.42 set of sec. post at aver. dist. from which  
an Elm 14 in. dia. bears N 81° W 31 Yds. dist. S  
a W. Oak 22 " " " N 73° E 45 " "

59.20 a Dr 20 " "

78.85 to sec. cor.

North between Sec. 11 &amp; 12

24.04 a Beech 10 in. dia.

40.00 set of sec. post from which  
a Sugar 20 in. dia. bears N 57° E 34 Yds. dist. S  
a W. Oak 18 " " " S 44° E 29 " "

59.90 a Dr 30 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which  
a Poplar 11 in. dia. bears S 26° W 9 Yds. dist. S  
an Ironwood 6 " " " N 74° E 14 " "

Land level 2<sup>d</sup> rate, timber Beech, W. Oak, Elm &c.  
Ulp. Beech &c.

East on Random between Sec. 1 &amp; 12

40.00 set temp. of sec. post

77.85 Intersect E. Boundary 148 Yds. S. of post -

Land level 2<sup>d</sup> rate, timber Elm, Beech, W. Oak,  
Ash &c. Ulp. Ash &c.

West Connected between Sec. 12 &amp; 12

17.13 an Elm 30 in. dia.

38.92 set of sec. post at aver. dist. from which  
an Elm 28 in. dia. bears — 12° N 5 Yds. dist. S  
a W. Oak 10 " " " S 37° W 27 " "

56.66 a Dr 11 " "

77.85 to sec. cor.

## T. 22 N., R. 2 W. 2. Mer. Ind. a.

Chs. Chs.

North between Sec. 1 &amp; 2

25.39 a R. Oak 28 in. dia.

40.00 set of sec. post from which

an Elm 19 in. dia. bears S 75 E 11 Ms. dist. 8

a Do 14 " " " S 72 W 36 " "

61.72 a W. Oak 42 " "

80.58 Intersect N. Boundary 398 Ms. E. of post -

set post at intersection cor. of sec. 1 &amp; 2 from which

a Beech 15 in. dia. bears S 54 E 23 Ms. dist. 8

an Elm 28 " " " N 78 W 33 " "

Land level good 2<sup>d</sup> rate, timber Ash, Beech, Sugar  
4<sup>r</sup>. Upr. Spice 4<sup>r</sup>

North between Sec. 34 &amp; 35

22.81 a Sugar 20 in. dia.

40.00 set of sec. post from which

a Sugar 15 in. dia. bears N 9 W 29 Ms. dist. 8

a Do 10 " " " S 13 W 8 " "

65.40 a Beech 20 " "

80.00 set post cor. of sec. 26, 27, 34 &amp; 35 from which

a Beech 11 in. dia. bears N 36 W 4 Ms. dist. 8

a B. Walnut 26 " " " S 8 E 15 " "

Land level 1<sup>st</sup> rate, timber B. Walnut, Sugar,  
Ash, 4<sup>r</sup>. Upr. Spice 4<sup>r</sup>

East on Random between Sec. 26 &amp; 35

40.00 set temp. of sec. post

80.40 Intersect N. G. line 13 Ms. N. of post -

Land level 1<sup>st</sup> rate, timber Ash, B. Walnut, Sugar,Buckeye 4<sup>r</sup>. Upr. Spice 4<sup>r</sup>

West Connected between Sec. 26 &amp; 35

19.95 a B. Walnut 30 in. dia.

40.20 set of sec. post at aver. dist. from which

a W. Oak 36 in. dia. bears S 19 W 20 Ms. dist. 8

a Beech 10 " " " N 19 E 16 " "



T. 22 N., R. 27 W. 2. Mer. Ind. <sup>a</sup>

Chk. Lbs.

59.83 a Buckeye 16 in. dia.

80.40 to sec. cr.

North between Sec. 26 &amp; 27

22.60 a Beech 22 in. dia.

28.55 a Stream 68 lbs. wide course W. shallow &amp; rapid

40.00 set of sec. port from which

a Buckeye 6 in. dia. bears N 53 W 13 lbs. dist. 8

a Hickory 20 " " " S 46 E 29 " "

58.63 a Lycamore 40 " "

60.05 a Stream 70 lbs. wide course S 41 W. gentle &amp; shallow

65.74 a Do 65 " " " S 10 E rapid &amp; shallow

75.03 a Do 73 " " " S 11 W. " " "

80.00 set port cr. of sec. 22, 23, 26 &amp; 27 from which

a Beech 16 in. dia. bears S 8 E 25 lbs. dist. 8

an Ironw. 5 " " " N 56 E 13 " "

Land T. rate, timber B. Walnut, Buckeye,  
Ash, Sugar & Upr. Spice &c.

East on Random between Sec. 23 &amp; 26

3.85 a Stream 85 lbs. wide course S. 3 feet deep,  
gentle

40.00 set temp. of sec. port

79.76 Intersect N &amp; S line 17 lbs. N. of port -

Land level T. rate, timber B. Walnut, Ash,  
Sugar & Upr. Spice &c.

West Connected between Sec. 23 &amp; 26

18.22 a Beech 17 in. dia.

39.88 set of sec. port at aver. dist. from which

a Beech 16 in. dia. bears S 6 E 9 lbs. dist. 8

a Do 14 " " " N 21 E 18 " "

58.88 an Elm 16 " "

79.76 to sec. cr. June 3. 1822

North between Sec. 22 &amp; 23



T. 22 N., R. 2 W. 2, Mer. Ind. a  
 Chap. 2nd.

4.50 a Steam 80 W. wide course S 25 E. shallow & rapid  
 5.97 a Do 85 " " " S. 3 feet deep, gentle  
 20.37 a Do 83 " " " S 15 E. deep & gentle  
 40.00 cut of sec. part from which  
 a W. Oak 28 in. diameter S 55 W 10 W. dist. 8  
 an Ironwood 5 " " " N 55 E 10 " "  
 58.43 a W. Oak 40 " "  
 80.00 cut part con. of sec. 14, 15, 22 & 23 from which  
 a Beech 17 in. diameter N 67 W 43 W. dist. 8  
 a Do 18 " " " S 84 E 27 " "  
 Sand level 2. rate, timber W. Oak, Hickory, Beech,  
 Elm & Upr. Beech, Hazel, Spruce &c.

East on Random between Sec. 14 & 23

40.00 cut temp. of sec. part  
 80.50 Intersect N. S. line of W. N. of part -  
 Sand level 2. rate, timber W. Oak, Hickory,  
 Beech & Upr. Beech &c.

West corrected between Sec. 14 & 23

19.28 a Beech 11 in. dia.  
 40.25 cut of sec. part at avers. dist. from which  
 a W. Oak 20 in. diameter S 43 W 43 W. dist. 8  
 a Beech 12 " " " N 53 E 22 " "  
 63.29 a Sugar 11 " "  
 80.50 to sec. con.

North between Sec. 14 & 15

20.25 a W. Maple 30 in. dia.  
 40.00 cut of sec. part from which  
 a Hickory 10 in. diameter N 23 W 8 W. dist. 8  
 an Elm 20 " " " S 35 W 17 " "  
 62.81 a Do 14 " "  
 80.00 cut part con. of sec. 10, 11, 14 & 15 from which  
 a Beech 24 in. diameter S 45 E 6 W. dist. 8  
 a Poplar 18 " " " N 2 E 29 " "

T. 22 N., R. 2 W. 2. Mer. Ind. a.  
Chp. Lp.

Land level 2. rate, timber W. Oak, Elm, Hick-  
ory & Upr. Hickory &

East on Random between Sec. 11 & 14

40.00 set temp. g. sec. port

80.01 Intersect N & S. line 60 th. N. of port -

Land level good 2. rate, timber Beech, Ash, W.  
Oak & Upr. Spice &

West Corrected between Sec. 11 & 14

22.00 a W. Ash 22 in. dia.

40.30 set g. sec. port at aver. dist. from which

a W. Oak 19 in. dia. bears N 45° W 19 th. dist. 8

a Do 18 " " " S 54° W 20 " "

68.05 a Sugar 20 " "

80.01 to sec. cor.

North between Sec. 10 & 11

21.72 a W. Ash 30 in. dia.

40.00 set g. sec. port from which

an Elm 22 in. dia. bears N 58° W 10 th. dist. 8

a W. Oak 20 " " " S 58° E 33 " "

62.09 a Beech 22 " "

80.00 set port cor. of sec. 2, 3, 10 & 11 from which

a Hickory 10 in. dia. bears S 77° W 44 th. dist. 8

a Do 6 " " " N 45° E 27 " "

Land level 1. rate, timber B. Walnut, Buckeye,  
Sugar, Ash & Upr. Spice &

East on Random between Sec. 2 & 11

40.00 set temp. g. sec. port

80.33 Intersect N & S. line 90 th. N. of port -

Land 1. 1/2 mile 1. rate, timber Buckeye, B.

Walnut, Ash & Upr. Spice & 2 1/2 mile 2. rate,

timber W. Oak, Beech, Hickory & Upr. Hickory,

Hazel &

T. 22 N., R. 2 W. 2. Mer. Ind.<sup>a</sup>  
Chs. Chs.

West Connected between Secs. 2 & 11

20.43 a Hickory 9 in. dia.

40.16 bet g. sec. part at aver. dist. from which

a W. Ash 6 in. dia. bears N 63 E 3 lbs. dist. 3

a R. Oak 38 " " " S 55 E 10 " "

60.71 a W. Oak 16 " "

80.33 to sec. cor.

North between Secs. 2 & 3

25.95 a W. Oak 22 in. dia.

40.00 bet g. sec. part from which

a B 23 in. dia. bears S 24 E 9 lbs. dist. 3

a Sugar 14 " " " N 40 W 20 " "

65.59 a Beech 30 " "

79.04 Intersect N. Boundary 439 lbs. E. of part -

bet part at intersection cor. of Secs. 2 & 3 from which

a Sugar 22 in. dia. bears N 55 W 8 lbs. dist. 3

a Do 11 " " " S 49 E 27 " "

Land level T. rate, timber B. Walnut, Sugar,  
Ash & Upr. Spice, Buckeye & Jun 4, 1821

North between Secs. 33 & 34

20.01 a Hickory 15 in. dia.

40.00 bet g. sec. part from which

a Beech 28 in. dia. bears N 34 E 31 lbs. dist. 3

a W. Oak 20 " " " S 61 W 35 " "

69.63 a Hickory 20 " "

80.00 bet part cor. of Secs. 27, 28, 33 & 34 from which

a W. Oak 8 in. dia. bears N 19 W 22 lbs. dist. 3

a Do 23 " " " S 47 E 28 " "

Land level good L. rate, timber Ash, Sugar,  
Poplar & Upr. Beech, Spice &

East on Random between Secs. 27 & 34

30.25 a Stream 25 lbs. wide runs N 81 W. shallow & gentle

40.00 bet temp. g. sec. part

*T. 22 N., R. 2 W. 2. Mer. Ind.?*  
*Ch. 26.*

79.85 Intersect N. & S. line 5 lbs. N. of post -  
 Land level good T. rate, timber Sugar, Ash, W. Oak,  
 & Upr. Spruce &c.

West Connected between Sec. 27 & 34

18.69 a Sugar 9 in. dia.

39.92 set of sec. post at aver. dist. from which  
 a Gum 15 in. dia. bears N 79 W 22 lbs. dist. 8  
 a R. Oak 12 " " " S 80 W 20 " "

60.85 a Sugar 17 " "

79.85 to sec. cor.

North between Sec. 27 & 28

17.50 a Poplar 34 in. dia.

40.00 set of sec. post from which  
 a W. Ash 9 in. dia. bears N 43 E 6 lbs. dist. 8  
 a Buckeye 12 " " " S 8 W 16 " "

54.75 a Stream <sup>107</sup> lbs. wide course N 84 W. shallow &  
 rapid.

68.03 a Sugar 20 in. dia.

80.00 set post cor. of sec. 21, 22, 27 & 28 from which  
 a Beech 13 in. dia. bears S 9 E 35 lbs. dist. 8  
 a Sugar 14 " " " N 43 E 10 " "

Land level T. rate, timber W. Ash, B. Walnut,  
 Sugar & Upr. Spruce &c.

East on Random between Sec. 22 & 27

40.00 set temp. of sec. post

79.81 Intersect N. & S. line 8 lbs. N. of post -

Land level T. rate, timber B. Walnut, Ash,  
 Sugar, Buckeye & Upr. Spruce &c.

West Connected between Sec. 22 & 27

19.23 a W. Oak 28 in. dia.

39.90 set of sec. post at aver. dist. from which  
 a W. Oak 22 in. dia. bears S 67 E 23 lbs. dist. 8



T. 22 N., R. 2 W. 2. Mer. Ind. a  
Ch. 8b?

a Poplar 20 in. dia. leans N 25° W 22 lbs. dirt.  
59.36 a W. Oak 28 " "  
79.81 to sec. cor.

North between Sec. 21 & 22

19.68 a W. Oak 22 in. dia.

40.00 set of sec. post from which

a Beech 20 in. dia. leans N 27° W 32 lbs. dirt &

a Sugar 20 " " " S 40° E 11 " "

63.89 a W. Maple 24 " "

80.00 set post cor. of sec. 15, 16, 21 & 22 from which

a W. Oak 23 in. dia. leans N 14° W 12 lbs. dirt &

a Beech 6 " " " S 21° E 33 " "

Land level T. rate, timber B Walnut, Ash, Sugar  
& Vly. Spice &

East on Random between Sec. 15 & 22

40.00 set temp. of sec. post

79.75 Intersect N & S. line 14 lbs. S. of post -

Land level T. rate, timber Beech, W. Oak, Poplar,  
& Vly. Beech & June 5. 1821

West Connected between Sec. 15 & 22

18.79 a Hickory 22 in. dia.

39.87 set of sec. post at av. dirt. from which

a Beech 22 in. dia. leans N 49° W 18 lbs. dirt &

a Do 17 " " " S 56° E 43 " "

56.56 a Hickory 23 " "

79.75 to sec. cor.

North between Sec. 15 & 16

24.40 a Sugar 22 in. dia.

40.00 set of sec. post from which

a Sugar 23 in. dia. leans - 83° E 53 lbs. dirt &

a Beech 18 " " " S 83° W 45 " "

63.00 a Do 18 " "



T. 22 N., R. 27 W. 2. Mer. Ind.<sup>a</sup>  
Chs. Chs.

80.00 set post cor. of sec. 9, 10, 15 & 16 from which  
a Sugar 18 in. diam bears N 47 W 30 lbs. dist. 8  
a W. Oak 34 " " " S 87 E 62 " "  
Land level 2<sup>d</sup> rate, timber W. Oak, Hickory, Beech,  
v. Upr. Hickory, Ironwood &c.

East on Random between Sec. 10 & 15

40.00 set temp. g. sec. post  
79.66 Intersect N & S. line 10 lbs. N. of post -  
Land swampy, timber Elm, Ash, Beech, W.  
Oak v. Upr. P. Ash

West Corrected between Sec. 10 & 15

18.92 a Hickory 20 in. dia.  
39.83 set g. sec. post at aver. dist. from which  
a S. Ash 9 in. diam bears N 23 E 6 lbs. dist. 8  
a Do 12 " " " S 87 W 16 " "  
65.50 a Sugar 11 " "  
79.66 to sec. cor.

North between Sec. 9 & 10

19.46 a Sugar 25 in. dia.  
40.00 set g. sec. post from which  
a W. Oak 3 in. diam bears S 86 E 29 lbs. dist. 8  
a Do 32 " " " N 57 W 27 " "  
60.52 a Sugar 13 " "  
80.00 set post cor. of sec. 3, 4, 9 & 10 from which  
a Hickory 9 in. diam bears N 49 W 24 lbs. dist. 8  
a W. Oak 16 " " " S 65 E 32 " "  
Land level 2<sup>d</sup> rate, timber W. Oak, Elm,  
Beech v. Upr. Dogwood, Ironwood &c.

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. post  
79.69 Intersect N & S. line 7 lbs. S. of post -  
Land level 2<sup>d</sup> rate, timber W. Oak, Elm v. Upr.

T. 22 N., R. 2 W. 2. Mer. Ind.<sup>a</sup>  
 Elk. Sp.

Spice, Ironwood &c.

West. Connected between Sec. 3 & 10

18.91 a Sugar 9 in. dia.

39.81 set of sec. post at aver. dist from which  
 a W. Oak 28 in. dia. bears N 82° W 61 lbs. dist 3  
 a Hickory 26 " " " S 82° E 25 " "

66.98 a W. Oak 18 " "

79.67 to sec. cor.

North between Sec. 3 & 4

24.50 a R. Oak 36 in. dia.

40.00 set of sec. post from which  
 a Sugar 13 in. dia. bears N 39° E 42 lbs. dist 3  
 an Elm 16 " " " N 29° W 26 " "

60.04 a Beech 15 " "

79.68 Intersect N. Boundary 481 lbs. E. of post -  
 set post at intersection cor. of sec. 3 & 4 from which  
 a Sugar 22 in. dia. bears South 5 lbs. dist 3  
 a W. Oak 30 " " " S 43° W 28 " "  
 Land level 2. rate land, timber W & R. Oak, Beech &c.  
 Upr. Ironwood &c. June 6. 1821

North between Sec. 32 & 33

22.50 a Hickory 22 in. dia.

40.00 set of sec. post from which  
 a W. Oak 17 in. dia. bears S 10° E 47 lbs. dist 3  
 a Do 20 " " " N 10° W 46 " "

63.85 a Beech 24 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which  
 a W. Oak 24 in. dia. bears N 63° W 59 lbs. dist 3  
 a Do 26 " " " S 86° E 48 " "

Land level 1. rate, timber Ash, B. Walnut,  
 Buckeye &c. Upr. Spice &c.

East on Random between Sec. 28 & 33



T. 22 N., R. 2 W. 2. Mer. Ind. a.  
Ch. Sta.

a W. Ash 24 in. diameter S 7 E 45 lbs. dist. 8  
a Do 20 " " " N 17 W 7 " "  
59.19 a W. Oak 26 " "  
80.39 to sec. cor.

North between Sec. 20 & 21

18.62 a Sugar 16 in. dia.

24.46 a Stream 12 lbs. wide course S 83 W. rapid & shallow  
40.00 set of sec. post from which

a Sugar 22 in. diameter S 2 W 30 lbs. dist. 8  
an Elm 18 " " " N 21 E 24 " "

62.74 a Sugar 9 " "

80.00 set post cor. of sec. 16, 17, 20 & 21 from which

a Hickory 16 in. diameter N 81 E 43 lbs. dist. 12

a Sugar 18 " " " S 81 W 46 " "

Land level 2<sup>d</sup> rate, timber W. Oak, Hickory &  
Upr. Hickory &

East on Random between Sec. 16 & 21

40.00 set temp. of sec. post

53.25 a Stream 19 lbs. wide course S 73 W. shallow rapid

53.50 a Do 16 " " " N 80 W. " " "

79.79 Intersect N. & G. line 75 lbs. S. of post -

Land level 2<sup>d</sup> rate, timber W. Oak, Hickory &  
Upr. Juniper & June 7. 1821

West Connected between Sec. 16 & 21

19.03 a B. Walnut 28 in. dia.

39.89 set of sec. post at aver. dist. from which

a W. Oak 26 in. diameter S 71 E 21 lbs. dist. 12

a Beech 16 " " " N 67 W 74 " "

64.17 an Elm 8 " "

79.76 to sec. cor.

North between Sec. 16 & 17

22.22 a W. Oak 9 in. dia.



## T. 22 N., R. 2 W. 2. Sec. 2nd.

Ech. 2nd.

40.00 set of sec. post from which

a W. Ash 7 in. diameter N 73° W 5 lbs. dist. 8  
an Ironwood 7 " " S 80° E 30 " "

61.50 a Hickory 20 " "

80.00 set post cor. of sec. 8, 9, 10 &amp; 17 from which

a W. Ash 10 in. diameter N 87° W 37 lbs. dist. 8

a W. Oak 23 " " S 81° E 47 " "

Land level 2<sup>d</sup> rate, timber W & R. Oak, Hickory &  
Upr. Ash, Hickory &

## East on Random between Sec. 9 &amp; 16

40.00 set temp. of sec. post

79.82 Intersect N &amp; S line 78 lbs. S. of post -

Land level 2<sup>d</sup> rate, timber W & R. Oak, Poplar  
& Upr. Hickory &

## West Connected between Sec. 9 &amp; 16

18.71 a Sugar 18 in. dia.

39.91 set of sec. post at arce. dist. from which

a W. Oak 48 in. diameter S 25° E 16 lbs. dist. 8

an Elm 16 " " N 25° W 39 " "

57.71 a Lym 28 " "

79.82 to sec. cor.

## North between Sec. 8 &amp; 9

26.21 a Beech 18 in. dia.

40.00 set of sec. post from which

a Sugar 14 in. diameter S 11° E 46 lbs. dist. 8

a Elm 22 " " N 17° W 7 " "

44.21 a Stream 11 lbs. wide corner N 74° W shallow &amp; rapid

64.03 a Sugar 11 in. dia.

80.00 set post cor. of sec. 4, 5, 8 &amp; 9 from which

a Poplar 17 in. diameter S 42° E 9 lbs. dist. 8

a Sugar 15 " " N 28° W 21 " "

Land level 2<sup>d</sup> rate, timber W & R. Oak, Hickory &  
Upr. Hickory, Ironwood &



T. 22 N., R. 2 W. 2. Mer. Ind.<sup>a</sup>Elev. 24<sup>a</sup>

East on Random between Sec. 4 &amp; 9

40.00 set temp. of sec. part

79.88 Intercept N. 4<sup>a</sup> line 2<sup>a</sup> M. S. of partLand level 2<sup>a</sup> rate, timber Hickory, Beech, W. Oak, R. Oak & Upr. Hickory &.

West Corrected between Sec. 4 &amp; 9

25.27 a W. Oak 50 in. dia.

39.94 set of sec. part at aver. dist. from which  
a Beech 16 in. dia. bears N 44 W 14 M. dist. 8  
a Sugar 15 " " " S 2 E 16 " "

63.09 a R. Oak 28 " "

79.88 to sec. cor.

North between Sec. 4 &amp; 5

21.50 a W. Oak 22 in. dia.

40.00 set of sec. part from which  
a Hickory 11 in. dia. bears S 34 W 27 M. dist. 8  
a Sugar 10 " " " N 24 W 15 " "

66.32 a Do 15 " "

80.82 Intercept N. Boundary 441 M. E. of part -  
set part at intersection cor. of sec. 4 & 5 from which  
an Elm 16 in. dia. bears S 80 E 8 M. dist. 8  
a Hickory 22 " " " N 82 W 46 " "  
Land level 2<sup>a</sup> rate, timber Hickory, W. & R. Oak,  
& Upr. Ironwood, Hickory & June 8. 1821

North between Sec. 31 &amp; 32

20.92 a R. Oak 14 in. dia.

40.00 set of sec. part from which  
a R. Oak 24 in. dia. bears N 53 W 34 M. dist. 8  
a W. Oak 18 " " " South 6 " "

58.35 a W. Ash 16 " "

80.00 set part cor. of sec. 29, 30, 31 & 32 from which  
a B. Walnut 24 in. dia. bears N 35 W 50 M. dist. 8  
a Sugar 14 " " " S 35 E 7 " "

T. 22 N., R. 2 W. S. Mer. Ind. a

Chp. 1st.

Land T. 1/2 mile good S. rate, timber W. Oak, Ark,  
Sugar & 2 1/2 mile T. rate, timber B. Walnut, Ark,  
Sugar, Buckeye & Upr. Spice &

East on Random between Sec. 29 & 32

40.00 set temp. g. sec. post

80.00 Intersect N. S. line 25 W. S. of post -

Land level T. rate, timber B. Walnut, Sugar,  
Buckeye, Ark & Upr. Spice &

West Corrected between Sec. 29 & 32

18.06 a Poplar 24 in. dia.

40.00 set g. sec. post at aver. dist. from which

a B. Walnut 24 in. dia bears N 21 E 20 W. dist. 8

a Beech 24 " " " S 21 W 54 " "

58.26 a Do 30 " "

80.00 to sec. cor.

North between Sec. 29 & 30

21.28 a Hickory 30 in. dia.

40.00 set g. sec. post from which

a Hickory 10 in. dia bears S 28 E 20 W. dist. 8

a Sugar 12 " " " N 28 W 34 " "

61.74 a W. Oak 24 " "

68.45 a Stream 60 W. wide course W. rapid & shallow,  
a good mill seat

80.00 set post cor. of Sec. 19, 20, 29 & 30 from which

an Elm 10 in. dia bears S 79 E 16 W. dist. 13

a Hornbeam 8 " " " N 40 W 2 " "

Land level T. rate, timber B. Walnut, Sugar,  
Ark & Upr. Spice &

East on Random between Sec. 28 & 29

27.00 a Stream 9 W. wide course S. good Spring in the  
side of the bank, shallow & rapid

36.30 a Stream 70 W. wide course S. 3 feet deep

## T. 22 N., R. 2 W. 2. Mer. Ind.?

Exp. 24.

40.00 set temp. of sec. post

80.00 Intersect N &amp; S. line 46 lbs. S. of post -

Land level 1. rate, timber B. Walnut, Sugar  
& Upr. Spice &c.

West Connected between Sec. 20 &amp; 29

23.28 a Sugar 24 in. dia.

40.00 set of sec. post at aver. dist. from which

a B. Walnut 24 in. dia. bears S 64° W 46 lbs. dist. 8,

a Buckeye 8 " " " N 51° E 30 " "

58.43 a Sugar 18 " "

80.00 to sec. cor.

North between Sec. 19 &amp; 20

16.11 a Stream 10 lbs. wide course N. shallow &amp; gentle

27.72 a Beech 15 in. dia.

40.00 set of sec. post from which

a R. Oak 24 in. dia. bears S 61° W 11 lbs. dist. 8,

a B. Walnut 20 " " " N 83° E 8 " "

77.72 a R. Oak 20 " "

80.00 set post cor. of sec. 17, 18, 19 &amp; 20 from which

a W. Ash 16 in. dia. bears N 71° E 15 lbs. dist. 8,

a Do 15 " " " S 14° W 23 " "

Land level 1. rate, timber B. Walnut, Ash,  
Sugar, Buckeye & Upr. Spice &c.

East on Rauden between Sec. 17 &amp; 20

40.00 set temp. of sec. post

79.77 Intersect N &amp; S. line 30 lbs. S. of post -

Land 1. rate, timber W & R. Oak, Hickory, Beech  
& Upr. Hazel, Sassafras &c.

West Connected between Sec. 17 &amp; 20

19.86 a R. Oak 26 in. dia.

39.88 set of sec. post at aver. dist. from which

a Hickory 25 in. dia. bears N 56° W 14 lbs. dist. 8,

## T. 22 N., R. 2 W., S. Mer. Ind. a

Ehr. Ehr.

at Hickory 10 in. dia. bears S 74 E 5 lbs. dist.

64.70 a Spr 9 " "

79.77 to sec. cor. June 9. 1821

North between Sec. 17 &amp; 18

20.61 a Beech 24 in. dia.

40.00 set g. sec. post from which

a Poplar 16 in. dia. bears N 88 E 16 lbs. dist. 3

a Spr 16 " " " N 83 W 20 " "

63.76 a R. Oak 26 " "

80.00 set post cor. of sec. 17 &amp; 18 from which

a W. Ash 9 in. dia. bears S 57 E 20 lbs. dist. 3

a Buckeye 16 " " " N 57 W 22 " "

Land level 1<sup>st</sup> rate, timber B. Walnut, Buckeye,  
Sugar, Ash & W. Spr. Spice &c.

East on Raudon between Sec. 8 &amp; 17

40.00 set temp. g. sec. post

79.00 Intersect N &amp; S. line 16 lbs. S. of post -

Land level 1<sup>st</sup> rate, timber Ash, B. Walnut, Sugar,  
& W. Spr. Spice &c.

West Corrected between Sec. 8 &amp; 17

25.27 a Lym 14 in. dia.

39.50 set g. sec. post at cor. dist. from which

an Elm 8 in. dia. bears N 87 W 11 lbs. dist. 3

a Sugar 18 " " " S 87 E 31 " "

61.32 a Lym 18 " "

79.00 to sec. cor.

North between Sec. 7 &amp; 8

18.65 a R. Oak 25 in. dia.

40.00 set g. sec. post from which

an Elm 26 in. dia. bears N 18 W 16 lbs. dist. 3

a R. Oak 19 " " " S 66 E 23 " "

63.00 a Poplar 55 " "



## T. 22 N., R. 2 W. 2. Mec. Ind. a

Ch. Ch.

80.00 set post cor. of sec. 5, 6, 7 & 8 from which  
 a Beech 30 in. dia. bears S 85° W 47 lbs. dist. 2  
 a Do 22 " " " N 69° E 30 " "  
 Land level 2 rate, timber Red W. Oak, Hickory,  
 Beech & Upr. Hazel, Hickory &c.

---

East in Random between Sec. 5 &amp; 8

7.52 a Stream 10 lbs. wide course N 64° W. shallow &  
 gentle

40.00 set temp. gr. sec. post

79.83 Intersect N. S. line 15 lbs. N. of post -

Land level 2 rate, timber W. & R. Oak, Hickory,  
 &c. Upr. Hazel &c.

---

West Connected between Sec. 5 &amp; 8

19.50 a W. Oak 30 in. dia.

39.91 set gr. sec. post at aver. dist. from which  
 a Sugar 26 in. dia. bears S 32° W 29 lbs. dist. 2  
 a Beech 20 " " " N 32° E 22 " "

59.50 a Do 18 " "

79.83 to sec. cor.

North between Sec. 5 &amp; 6

8.06 a Stream 8 lbs. wide course W. shallow &amp; gentle

28.63 a Hickory 16 in. dia.

40.00 set gr. sec. post from which

a W. Ash 17 in. dia. bears S 45° W 14 lbs. dist. 2  
 a Do 9 " " " N 78° E 3 " "

60.94 a W. Oak 22 " "

80.84 Intersect N. Boundary at 84 lbs. E. of post -

set post at intersection cor. of sec. 5 &amp; 6 from which

a W. Ash 20 in. dia. bears S 80° E 33 lbs. dist. 2

a Hickory 8 " " " S 73° W 15 " "

Land level 2 rate, timber Hickory, W. Oak,  
 Poplar &c. Upr. Hickory &c. June 10, 1821

---

## T. 22 N., R. 27 W. 2. Mer. Ind. a.

Elev. Eas.

West between Sec. 30 &amp; 31

19.70 an Elm 16 in. dia.

40.00 set of sec. port from which

a Sugar 24 in. diameter N 75° W 21 lbs. dist. 3

an Elm 12 " " " S 70° E 14 " "

54.93 a Hickory 14 " "

57.54 a Stream 10 lbs. wide course N. shallow &amp; gentle

85.41 Intersect W. Boundary 44 lbs. S. of port -

set port at intersection cor. of sec. 30 &amp; 31 from which

a B. Walnut 10 in. diameter N 76° W 9 lbs. dist. 3

a Do 5 " " " S 61° E 23 " "

Land good S. rate, timber Ash, Sugar, Poplar  
& V. Upr. Spice &c.

West between Sec. 19 &amp; 30

5.30 a Stream 100 lbs. wide course N 37° W. 3 feet  
deep gentle14.10 a Stream 70 lbs. wide course S 25° W. 3 feet deep  
gentle

17.68 a R. Oak 30 in. dia.

40.00 set of sec. port from which

a Sugar 20 in. diameter N 78° W 19 lbs. dist. 3

a Hickory 5 " " " S 61° E 10 " "

47.50 a Stream 75 lbs. wide course N 65° W. 2 feet deep  
raped, a good mill seat

60.03 a Buckeye 10 in. dia.

86.21 Intersect W. Boundary 33 lbs. S. of port -

set port at intersection cor. of sec. 19 &amp; 30 from which

a Buckeye 8 in. diameter N 84° W 18 lbs. dist. 3

a Hornbeam 8 " " " S 59° E 13 " "

Land level T. rate, timber B. Walnut, Buck  
eye, Sugar & V. Upr. Spice &c.

West between Sec. 18 &amp; 19

26.16 a W. Oak 24 in. dia.

40.00 set of sec. port from which

## T. 22 N., R. 2 W. 2. Mer. Ind. a

Ch. Lk.

- an Ash 18 in. dia bears N49 E 12 lbs. dist. 3  
 a R. Oak 20 " " " S34 W 34 " "  
 61.68 a W. Oak 26 " "  
 86.12 Intersect W. Boundary 82 lbs. S. of port -  
 set port at intersection cor. of sec. 18 & 19 from which  
 a Poplar 10 in. dia bears N88 E 24 lbs. dist. 3  
 a Hickory 16 " " " S82 E 18 " "  
 Land level 2. rate, timber W. R. Oak, Beech,  
 Hickory & Upr. Hickory &
- 

West between Sec. 7 &amp; 18

- 21.14 a W. Oak 30 in. dia.  
 40.00 set q. sec. port from which  
 an Ironwood 6 in. dia bears N49 W 7 lbs. dist. 3  
 a W. Oak - " " " S56 E 44 " "  
 42.40 a Stream 10 lbs. wide course N. shallow & gentle  
 64.70 a Beech 18 in. dia.  
 86.75 Intersect W. Boundary 65 lbs. S. of port -  
 set port at intersection cor. of sec. 7 & 18 from which  
 a Hickory 16 in. dia bears N18 E 40 lbs. dist. 3  
 a W. Oak 48 " " " S83 W 5 " "  
 Land level 2. rate, timber Hickory, W. Oak,  
 Beech & Upr. Hazel &
- 

West between Sec. 6 &amp; 7

- 24.64 a Beech 11 in. dia.  
 32.83 a Stream 10 lbs. wide course N44 W, shallow  
 & gentle  
 40.00 set q. sec. port from which  
 a R. Oak 16 in. dia bears N85 E 21 lbs. dist. 3  
 a Hickory 18 " " " S76 W 49 " "  
 63.82 an Elm 19 " "  
 86.46 Intersect W. Boundary 32 lbs. S. of port -  
 set port at intersection cor. of sec. 6 & 7 from which  
 a Hickory 20 in. dia bears S50 E 28 lbs. dist. 3  
 a Sugar 10 " " " N60 W 19 " "

T. 22 N., R. 2 W. 2. Mer. Ind.<sup>a</sup>

Chs. Lts.

Land level 2. rate, timber Beech, Hickory, White Oak,  
 &c. Wm. Hazel &c. June 11, 1821

Surveyed by Josiah F. Polk  
 Dep. Surveyor.

I certify that the foregoing transcript of  
 Field Notes of the survey of Township N. 22  
 North, in Range N. 2 West of the 2. Principal  
 Meridian, in the State of Indiana, has been  
 compared with the original on file in this  
 office, and found to be correct.

Surveyor General's Office,  
 Cincinnati, Oct. 5, 1842.

William Johnston  
 Sur. Genl.